ALARO performance in the prototype convection-permitting RMI-EPS

Geert Smet

ALARO-1 Working Days

Bratislava, Slovakia, 11-13 March 2019





Outline

- 1. Current set-up
- 2. Thunderstorm cases: Belgium
- 3. Precipitation cases: Madeira (Portugal)
- 4. Verification scores: Belgium
- 5. Future plans



- ► AROME and ALARO models (both at 2.5km) are coupled to ECMWF ENS (vertical 65L).
- ➤ 22 limited area ensemble members: 10+1 from ALARO and 10+1 from AROME (cy38h1.1, both with SURFEX).
- ► Forecast range: 36 hours (at 00 and 12 UTC).
- Surface assimilation cycle (CANARI) + 3DVar upper-air data assimilation for control members.

ALARO physics

- Deep convection parametrization with 3MT scheme
- ► Broadband radiation scheme ACRANEB with a single shortwave and single longwave interval
- Turbulence scheme based on K-theory using prognostic kinetic energy
- Shallow convection accounted for by making stability function dependent on local moisture
- \Rightarrow aim is to run at multiple resolutions across the grey zone, from 1km to 10km.



AROME physics

- ▶ No deep convection scheme
- ► A multi band radiation scheme, RRTMG_LW (longwave) and six-band SW6 (shortwave)
- ► Turbulence scheme (CBR) based on prognostic TKE equation, combined with diagnostic mixing length
- ► Mass flux scheme (PMMC09) for dry thermals and shallow cumuli
- \Rightarrow aim is to run at convection-permitting scales, roughly at 1km.



- ► Computation at ECMWF (ecgate/cca) and results automatically transferred to RMI.
- HarmonEPS system + RMI preprocessing and postprocessing scripts.
- One run takes about 100K SBU's, and roughly 4 hours computation time...
- Semi-operational runs, 2x per day, since September 2017.



RMI-EPS Prob PCP3h over 5mm (Legend) Analysis: 2015/08/13 00UTC T+018 VT: 2015/08/13 18UTC




Figure: Probability plot RMI-EPS: 3h accumulated precipitation (> 5mm), forecast of 20150813 (00h UTC run) over full domain.





HarmonEPS_1 domain

Standard domain of HarmonEPS system: N = Nlon * Nlat = 450 * 540 = 291600(N = 870 * 660 = 574200 for GLAMEPSv2).


► Changing domain also requires recomputing B-matrix for 3DVar (upper-air DA)...



Figure: INDRA alert map for RMI-EPS: 6h accumulated precipitation forecast of 20150813 (00h UTC run).







Click station names for detailed forecasts

St.-Hubert
Bierset
Kleine-Brogel
Elsenborn

Figure: INDRA station table for RMI-EPS: 3h accumulated precipitation forecast of 20150813 (00h UTC run).






Figure: Probability plot RMI-EPS: 3h accumulated precipitation forecast of 20150813 (00h UTC run) for station Bierset (Belgium).






Figure: Thunderstorm on 13 August 2015: ALARO4 vs radar. (Courtesy: S. Caluwaerts)



13 August 2015

Waarschuwingen

Begin: 13/08/2015 17H - (lokale tijd) Einde : 14/08/2015 05H - (lokale tiid)



Avertissements

Début : 13/08/2015 17H - (heure local) Fin: 14/08/2015 05H - (heure local)


Onweer Wind Regen - Orage Vent Pluie

In de logo van donderdagnamiddag, donderdagavond en tildens de nacht van donderdag op vriidag verwachten we felle buien vanaf de Franse grens. Die buien kunnen gepaard gaan met onweer, plaatselijk hagel en rukwinden. In westen (West, Vlaanderen en het westen van Oost, Vlaanderen en Henegouwen) kan er veel neerslag op korte tiid vallen. Plaatseliik kan er tussen 20 en 30 l/ m2 vallen.

Provincies Vlaanderen Antwerpen Boussel Dansel

groen : Er worden geen significante problemen veneacht ten gevolge van onweer. geel : Er is plaatselijk kans op onweer. Een loksal omweer is niet zonder gevaar. Er is kans op interse regenval, hagebuien, blikseminslagen en' of felle rukwinden die loksaaf voor overlaat kunnen zongen. ocaagle: Er is verspreid kans op hevig orseer met mogelijk overlaat op meendere plaatsen. Intense regenval, hagelbulen, blikseminslagen en' of havige nichenden lucrens mit gobal schade wenoorzaken. Overloedige regen is mogelijk en kan voor wateroverlaat zorgen. Er is ook kans oo vallende bomen/takken). Wees dus op uw hoede en begeef u zo weinig mogelijk in het wegverkeer. kama op vasiende oordragscoom), veere dost op ten noede en begeer it 20 wennig mogelijk in net Weglereser. mod : Er is een grote kars op hivig omeier met waarschiplijk oversist op meeretine plaateen. Finkense megenval, hagelbuien, blikseministagen eri of hivige ruksetnden konnen grote schade veroorsalen. Overvloedige regen ta mogelijk en han voor wateroverlast. zogen. Er is ook kama op valkende bonnerlijksking. Wese das op on hoede en blijf in de mals van het mogelijke binner.

Jeudi dans l'après- midi, ieudi soir et encore la nuit de ieudi à vendredi, nous prévoyons des averses intenses à partir de la frontière française. Ces averses pourront être accompagnées d'orage, localement de grêle et de rafales de vent. Dans l'ouest (la Flandre Occidentale et l'ouest de la Flandre Orientale et du Hainaut) on prévoit de fortes précipitations en peu de temps. Localement des quantités comprises entre 20 et 30 l/ m² seront possibles.



vert : On ne prévoit pas de problèmes significatifs suite aux prapes Jaune: Il y au n'écque d'onge local. Un orage local n'écé pas avenue au soit sepa-jaune: Il y au n'écque d'onge local. Un orage local n'ést pas avenue danger. Des pluies infernes, des avenues de gelle, des impacts de foudre et ou de fortes matéries de vent pauvent provoquer des problèmes localement. Outages: Il y au n'écque récentul d'orages violents et des problèmes sont oussités en plusieurs endroits. Des pluies intenses, des avenues diagrati, des impacts de budes et du de fortes mâteles de vent peuchemia sont passable en passable de publica en incentional. Des publica sont peuche de de gratie, des impacts de budes et du de fortes mâteles de vent peucher diasses des déplas assez impactions. Des publica sobredantes sont possibles et peuvent conduire à des incredations. Il y a également un risque de chufe (de branches) d'arbines. Soyez donc sur vois gardes et évitez autent que passible de penerte la route.

rouge : Il y a un risque élevé d'orages violents avec probablement des problèmes en plusieurs endroits. Des pluies intenses, des ave de grêle, des impacts de toutre eti ou de fortes rafales de vent peuvent causer des dégâts importants. Des pluies abondantes sont possibles et peuvent conduire à des incodations. Il y a écalement un risque de chute (de branches) d'arbnes. Sovez donc sur vos cardes et









13 August 2015




Figure: Probability plot RMI-EPS: 3h accumulated precipitation (> 30mm), forecast of 20150813 (00UTC) +24h over Belgium.





13 August 2015




Figure: Regional probability plot RMI-EPS: 3h accumulated precipitation (> 30mm), forecast of 20150813 (00UTC) +24h.



13 August 2015




Figure: Probability plot RMI-EPS: 6h accumulated precipitation (> 60mm), forecast of 20150813 (00UTC) +24h over Belgium.



13 August 2015





Figure: Regional probability plot RMI-EPS: 6h accumulated precipitation (> 60mm), forecast of 20150813 (00UTC) +24h.






13 August 2015: AROME control member of RMI-EPS







13 August 2015: ALARO control member of RMI-EPS










Figure: Thunderstorm on 15 August 2015: ALARO4 vs radar. (Courtesy: S. Caluwaerts)







Figure: Thunderstorm on 23 August 2015: ALARO4 vs radar. (Courtesy: S. Caluwaerts) 4 日 × 4 周 × 4 厘 × 4 厘 ×





23 August 2015







23 August 2015




Figure: Regional probability plot RMI-EPS: 3h accumulated precipitation (> 30mm), forecast of 20150823 (00UTC) +18h.





23 August 2015




Figure: Regional probability plot RMI-EPS: 3h accumulated precipitation (> 30mm), forecast of 20150823 (00UTC) +21h.





23 August 2015




Figure: Regional probability plot RMI-EPS: 3h accumulated precipitation (> 20mm), forecast of 20150823 (00UTC) +18h.





23 August 2015





Figure: Regional probability plot RMI-EPS: 3h accumulated precipitation (> 20mm), forecast of 20150823 (00UTC) +21h.




23 August 2015: AROME control member of RMI-EPS





23 August 2015: ALARO control member of RMI-EPS





Precipitation cases: Madeira (Portugal)

Convection permitting EPS on Madeira cases

- ▶ João Rio (IPMA) and Geert Smet (RMI)
- report on FR stay at RMI
- available at https://orfeo.kbr.be/
 new institutional Open Access repository for
 Federal Science Policy funded research



Precipitation cases: Madeira (Portugal)




Figure: Orography and weather stations in Madeira





Precipitation cases: Madeira (Portugal)




Figure: Madeira domain used in RMI-EPS



Heavy convective precipitation

16 October 2015




Figure: obs 24h precipitation (mm) in Madeira, on 16 Oct 2015





Heavy convective precipitation

16 October 2015




Figure: Probability of precipitation above 60mm/6h, from the RMI-EPS run from 12 UTC of October 15th, valid at +30h.





Heavy convective precipitation

16 October 2015




Figure: Probability of precipitation above 60mm/6h, from the RMI-EPS run from 00 UTC of October 16th, valid at 18 UTC.





Enhanced precipitation over mountains

30 March 2016




Figure: obs 24h precipitation (mm) in Madeira, on 30 March 2016



Enhanced precipitation over mountains

30 March 2016




Figure: Probability of precipitation above 50mm/24h, from the RMI-EPS run from 12 UTC of March 29th, valid at +36h.



Enhanced precipitation over mountains

30 March 2016




Figure: Probability of precipitation above 50mm/24h, from the RMI-EPS run from 00 UTC of March 30th, valid at +24h.



Enhanced precipitation over mountains

30 March 2016




Figure: Probability of precipitation above 100mm/24h, from the RMI-EPS run from 00 UTC of March 30th, valid at +24h.



28 October 2016




Figure: AROME-MAD 3h precipitation, valid at 21UTC of 28 October 2016, from the 00 UTC run of October 28th.



28 October 2016




Figure: Probability of precipitation above 1mm/3h, from the RMI-EPS run from 12 UTC of October 27th, valid at +33h.





28 October 2016




Figure: Probability of precipitation above 1mm/3h, from the RMI-EPS run from 00 UTC of October 28th, valid at +18h.





28 October 2016




Figure: Probability of precipitation above 1mm/3h, from the RMI-EPS run from 00 UTC of October 28th, valid at +21h.





Precipitation cases: Madeira (Portugal)

- On average AROME forecasts give higher amounts of precipitation (than ALARO), especially in convective events.
- ► The EPS offers improved guidance for a given event, but does not necessarily imply that that a given event can be forecast sooner.
- ► The LAMEPS always depends on (good) initial and lateral boundary conditions from a global model.



Precipitation cases: Madeira (Portugal)

- As the EPS provides an ensemble of possible outcomes of the weather conditions, it increases the confidence the weather centre has when issuing a given forecast or warning.
- Running RMI-EPS with ECMWF as the parent model was beneficial in removing an artificial structure (over-active convection) that was present in the operational AROME-MAD forecast, which is coupled with ARPEGE.

Verification scores: Belgium

- Three periods:
 - 1) August 2015: several thunderstorms (15 forecasts).
 - 2) 15 May 2018 14 June 2018: 1 month of daily forecasts (2 runs per day).
 - 3) 18 Sep 2017 31 Dec 2017: 3.5 months of daily forecasts (2 runs per day).
- ▶ Point-based (not spatial): 10 standard synop stations spread evenly over Belgium.
- INDRA verification tools.(Courtesy: J. Van den Bergh)





Figure: INDRA synop stations.






Figure: RMSE and spread for 6h accumulated precipitation: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).








Figure: Bias for 6h accumulated precipitation: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).






Figure: Bias for 6h accumulated precipitation: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).






Figure: RMSE and spread for 6h accumulated precipitation: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).








Figure: CRPS for 6h accumulated precipitation: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).








Figure: RMSE and spread for T2M: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).






Figure: Bias for T2M: thunderstorm cases of August 2015 (averages over 10 standard stations in Belgium).








Figure: CRPS for 6h accumulated precipitation: 15 May 2018 - 14 June 2018 (averages over 10 standard stations in Belgium).






Figure: CRPS for 2-meter temperature: 15 May 2018 - 14 June 2018 (averages over 10 standard stations in Belgium).






Figure: RMSE and spread for 6h accumulated precipitation: 18 Sep 2017 - 31 Dec 2017 (averages over 10 standard stations in Belgium).








Figure: RMSE and spread for 2m temperature: 18 Sep 2017 - 31 Dec 2017 (averages over 10 standard stations in Belgium).



Future plans

Short term

- Additional surface perturbations.
 - Should improve T2m spread.
 - Influence on thunderstorm forecasts?
- An automatic monthly and seasonly verification (of INDRA).
- New domain centred around Belgium?



Future plans

Long term

Upper-air physics

- Multiphysics (e.g. different tunings).
- ► Tests with ALARO-1 (instead of ALARO-0).
- Perturbation of physical processes (parameter perturbation).